SIGMA-ALDRICH

sigma-aldrich.com

SAFETY DATA SHEET

Version 4.12 Revision Date 12/02/2015 Print Date 05/30/2017

Product name	:	Drierite™			
Product Number Brand Product Use	:	238945 Sigma-Aldrich For laboratory research purposes.			
Supplier	:	Sigma-Aldrich Canada Co. 2149 Winston Park Drive OAKVILLE ON L6H 6J8 CANADA	Manufactur er	:	Sigma-Aldrich Corporation 3050 Spruce St. St. Louis, Missouri 63103 USA
Telephone	:	+1 9058299500			
Fax	:	+1 9058299292			
Emergency Phone # (For both supplier and manufacturer)	:	+1-703-527-3887 (CHEMTREC)			
Preparation Information	:	Sigma-Aldrich Corporation Product Safety - Americas Region 1-800-521-8956			

2.

Emergency Overview

WHMIS Classification

Not controlled.

Not a hazardous substance or mixture.

Health hazard:	0
Flammability:	0
Physical hazards:	0

Potential Health Effects

Inhalation	May be harmful if inhaled. May cause respiratory tract irritation.
Skin	May be harmful if absorbed through skin. May cause skin irritation.
Eyes	May cause eye irritation.
Ingestion	May be harmful if swallowed.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms	: Calcium sulfate		
Formula	: CaO ₄ S		
Molecular weight	: 136.14 g/mol		
CAS-No.	EC-No.	Index-No.	Concentration
Calcium sulfate			
7778-18-9	231-900-3	-	<=100%

4. FIRST AID MEASURES

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration.

In case of skin contact

Wash off with soap and plenty of water.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water.

5. FIREFIGHTING MEASURES

Conditions of flammability

Not flammable or combustible.

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special protective equipment for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

Hazardous combustion products

Hazardous decomposition products formed under fire conditions. - Sulphur oxides, Calcium oxide

Explosion data - sensitivity to mechanical impact No data available

Explosion data - sensitivity to static discharge No data available

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Avoid dust formation. Avoid breathing vapours, mist or gas.

Environmental precautions

No special environmental precautions required.

Methods and materials for containment and cleaning up

Sweep up and shovel. Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Provide appropriate exhaust ventilation at places where dust is formed.

Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place.

hygroscopic

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

CAS-No.	Value	Control	Basis
		parameters	
7778-18-9	TWA	10.000000 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
	TWAEV	5 mg/m3	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
	•	ds to dust containi	ng no asbestos and the percentage in crystalline silica is
	TWAEV	5.000000	Québec. Regulation respecting occupational health
	7778-18-9 The standard	7778-18-9 TWA TWAEV TWAEV The standard correspondences than 1 %.	Parameters 7778-18-9 TWA 10.000000 mg/m3 TWAEV 5 mg/m3 The standard corresponds to dust containing less than 1 %.

		mg/m3	and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
		ds to dust contai	ning no asbestos and the percentage in crystalline silica is
less than 1	%.		
	TWA	10.000000 mg/m3	Canada. British Columbia OEL
	TWA listed in the respirat	n the Table is for	the total dust. The substance also has an 8-hour TWA of
	TWAEV	10.000000 mg/m3	Canada. Ontario OELs
	TWAEV	10 mg/m3	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
The standar less than 1		ds to dust contai	ning no asbestos and the percentage in crystalline silica i
	TWAEV	10.000000 mg/m3	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
The standar less than 1	•	ds to dust contai	ning no asbestos and the percentage in crystalline silica i
	TWA	10.000000 mg/m3	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
	TWAEV	10.000000 mg/m3	Canada. Ontario OELs
	TWA	10.000000 mg/m3	Canada. British Columbia OEL
	TWA	10.000000 mg/m3	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
	TWAEV	5.000000 mg/m3	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
The standar less than 1		ds to dust contai	ning no asbestos and the percentage in crystalline silica
	TWAEV	10.000000 mg/m3	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
The standar less than 1	•	ds to dust contai	ning no asbestos and the percentage in crystalline silica i
	TWA	10.000000 mg/m3	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
	TWA	10 mg/m3	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)

	mg/m3	
TWA	10.000000 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
TWA	10 mg/m3	USA. ACGIH Threshold Limit Values (TLV)

Personal protective equipment

Respiratory protection

Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374 If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Eye protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin and body protection

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Hygiene measures

General industrial hygiene practice.

Specific engineering controls

Use mechanical exhaust or laboratory fumehood to avoid exposure.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form	granules
Colour	beige
Safety data	
рН	No data available
Melting point/freezing point	No data available
Boiling point	No data available
Flash point	Not applicable
Ignition temperature	No data available

Sigma-Aldrich - 238945

Auto-ignition temperature	No data available
Lower explosion limit	No data available
Upper explosion limit	No data available
Vapour pressure	No data available
Density	2.960 g/cm3
Water solubility	2.4 g/l at 20 °C (68 °F) - OECD Test Guideline 105
Partition coefficient: n-octanol/water	No data available
Relative vapour density	No data available
Odour	No data available
Odour Threshold	No data available
Evaporation rate	No data available

10. STABILITY AND REACTIVITY

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions No data available

Conditions to avoid Avoid moisture.

Materials to avoid Strong oxidizing agents

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Sulphur oxides, Calcium oxide Other decomposition products - No data available

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Oral LD50 LD50 Oral - Rat - female - > 1,581 mg/kg

Inhalation LC50

LC50 Inhalation - Rat - male and female - 4 h - > 3.26 mg/l

Dermal LD50 No data available

Other information on acute toxicity No data available

Skin corrosion/irritation Skin - Rabbit - No skin irritation - OECD Test Guideline 404

Serious eye damage/eye irritation Eyes - Rabbit - No eye irritation - OECD Test Guideline 405

Respiratory or skin sensitisation

Buehler Test - Guinea pig - OECD Test Guideline 406 - Did not cause sensitisation on laboratory animals.

Germ cell mutagenicity

Genotoxicity in vitro - in vitro assay - S. typhimurium - with and without metabolic activation - negative

Genotoxicity in vivo - Mouse - male - Feed - negative

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Reproductive toxicity

No data available

Teratogenicity

No data available

Specific target organ toxicity - single exposure (Globally Harmonized System) No data available

Specific target organ toxicity - repeated exposure (Globally Harmonized System) No data available

Aspiration hazard

No data available

Potential health effects

Inhalation	May be harmful if inhaled. May cause respiratory tract irritation.
Ingestion	May be harmful if swallowed.
Skin	May be harmful if absorbed through skin. May cause skin irritation.
Eyes	May cause eye irritation.

Signs and Symptoms of Exposure

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Synergistic effects No data available

Additional Information

Repeated dose toxicity - Rat - male - Gavage - No observed adverse effect level - 79 mg/kg - Lowest observed adverse effect level - 237 mg/kg RTECS: WS6920000

12. ECOLOGICAL INFORMATION

Toxicity

Toxicity to fish LC50 - Lepomis macrochirus - 2,980 mg/l - 96 h

Persistence and degradability No data available

Bioaccumulative potential No data available

Mobility in soil No data available

PBT and vPvB assessment No data available

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Product

Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product. Sigma-Aldrich - 238945

14. TRANSPORT INFORMATION

DOT (US) Not dangerous goods

IMDG

Not dangerous goods

ΙΑΤΑ

Not dangerous goods

15. REGULATORY INFORMATION

WHMIS Classification

Not controlled.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

16. OTHER INFORMATION

Further information

Copyright 2015 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.