SAFETY DATA SHEET

Version 3.6 Revision Date 08/05/2014 Print Date 04/18/2017

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : (-)-Epinephrine

Product Number : E4250 Brand : Sigma

Product Use : For laboratory research purposes.

Supplier : Sigma-Aldrich Canada Co. Manufactur : Sigma-Aldrich Corporation

2149 Winston Park Drive er 3050 Spruce St.

OAKVILLE ON L6H 6J8 St. Louis, Missouri 63103

USA

Telephone : +1 9058299500 Fax : +1 9058299292

Emergency Phone # (For

Preparation Information

both supplier and manufacturer)

oth supplier and

CANADA

Product Safety - Americas Region

Sigma-Aldrich Corporation

+1-703-527-3887 (CHEMTREC)

1-800-521-8956

2. HAZARDS IDENTIFICATION

Emergency Overview

Target Organs

Heart, Smooth muscle.

WHMIS Classification

D1A Very Toxic Material Causing Immediate and Highly toxic by skin absorption

Serious Toxic Effects

GHS Classification

Acute toxicity, Oral (Category 3)
Acute toxicity, Inhalation (Category 3)
Acute toxicity, Dermal (Category 2)

GHS Label elements, including precautionary statements

Pictogram

Signal word Danger

Hazard statement(s)

H301 + H331 Toxic if swallowed or if inhaled H310 Fatal in contact with skin.

Precautionary statement(s)

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P280 Wear protective gloves/ protective clothing.

P302 + P350 IF ON SKIN: Gently wash with plenty of soap and water.
P310 Immediately call a POISON CENTER or doctor/ physician.

HMIS Classification

Health hazard: 4
Flammability: 0

Sigma - E4250 Page 1 of 6

Physical hazards: 0

Potential Health Effects

Inhalation Toxic if inhaled. May cause respiratory tract irritation.

Skin May be fatal if absorbed through skin. May cause skin irritation.

Eyes May cause eye irritation. **Ingestion** Toxic if swallowed.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms : (-)-Adrenalin

L-Épinephrine L-Adrenaline

 $(R)-(-)-3,4-Dihydroxy-\alpha-(methylaminomethyl)benzyl alcohol$

CAS-No.	EC-No.	Index-No.	Concentration
Epinephrine			
51-43-4	200-098-7	-	<=100%

4. FIRST AID MEASURES

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

5. FIREFIGHTING MEASURES

Conditions of flammability

Not flammable or combustible.

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special protective equipment for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

Hazardous combustion products

Explosion data - sensitivity to mechanical impact

no data available

Explosion data - sensitivity to static discharge

no data available

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Sigma - E4250 Page 2 of 6

Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed.

Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place.

Recommended storage temperature: 2 - 8 °C

Light sensitive. Store under inert gas. Air sensitive.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Personal protective equipment

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374 If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Eye protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin and body protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Hygiene measures

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Specific engineering controls

Use mechanical exhaust or laboratory fumehood to avoid exposure.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form crystalline

Sigma - E4250 Page 3 of 6

Colour beige

Safety data

рΗ no data available

Meltina Melting point/range: 215 °C (419 °F)

point/freezing point

Boiling point no data available Flash point no data available Ignition temperature no data available Auto-ignition no data available

temperature

no data available Lower explosion limit Upper explosion limit no data available Vapour pressure no data available no data available Density Water solubility no data available

Partition coefficient: n-octanol/water

no data available

Relative vapour

no data available

density

Odour no data available Odour Threshold no data available Evapouration rate no data available

10. STABILITY AND REACTIVITY

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

no data available

Conditions to avoid

no data available

Materials to avoid

acids, Acid chlorides, Acid anhydrides, Oxidizing agents, Alkalis, Copper, Iron, Silver/silver oxides, Zinc, Metals, tannins, Sulfuric acid

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, nitrogen oxides (NOx) Other decomposition products - no data available

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Oral LD50

Inhalation LC50

Dermal LD50

LD50 Dermal - rat - 62 mg/kg

Remarks: Behavioral:Somnolence (general depressed activity). Behavioral:Convulsions or effect on seizure threshold. Behavioral: Excitement.

Other information on acute toxicity

no data available

Sigma - E4250 Page 4 of 6

Skin corrosion/irritation

no data available

Serious eye damage/eye irritation

no data available

Respiratory or skin sensitisation

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by ACGIH.

Reproductive toxicity

no data available

Teratogenicity

no data available

Specific target organ toxicity - single exposure (Globally Harmonized System)

no data available

Specific target organ toxicity - repeated exposure (Globally Harmonized System)

no data available

Aspiration hazard

no data available

Potential health effects

Inhalation Toxic if inhaled. May cause respiratory tract irritation.

Ingestion Toxic if swallowed.

Skin May be fatal if absorbed through skin. May cause skin irritation.

Eyes May cause eye irritation.

Signs and Symptoms of Exposure

Symptoms and signs include headache, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness., Laboratory experiments in animals have shown fetotoxic results., Weakness, anxiety, motor restlessness, fine tremor of skeletal muscle, Cardiac irregularities, Cardiac arrhythmias, Difficulty in breathing, Chronic exposure damages the brain and the central nervous system., Excitatory to central nervous system, Conjunctivitis., profuse sweating, Liver injury may occur., Kidney injury may occur., tingling sensation, Disorientation, Small pupils, Spasmic reactions, Irregular cardiac activity, constriction of pupils, Discomfort, Erythema, Fever, Headache

Synergistic effects

no data available

Additional Information

RTECS: DO2625000

12. ECOLOGICAL INFORMATION

Toxicity

no data available

Persistence and degradability

no data available

Bioaccumulative potential

Sigma - E4250 Page 5 of 6

no data available

Mobility in soil

no data available

PBT and vPvB assessment

no data available

Other adverse effects

no data available

13. DISPOSAL CONSIDERATIONS

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 2811 Class: 6.1 Packing group: II Proper shipping name: Toxic solids, organic, n.o.s. (Epinephrine)

Reportable Quantity (RQ): 1000 lbs

Marine pollutant: No

Poison Inhalation Hazard: No

IMDG

UN number: 2811 Class: 6.1 Packing group: II EMS-No: F-A, S-A

Proper shipping name: TOXIC SOLID, ORGANIC, N.O.S. (Epinephrine)

Marine pollutant: No

IATA

UN number: 2811 Class: 6.1 Packing group: II Proper shipping name: Toxic solid, organic, n.o.s. (Epinephrine)

15. REGULATORY INFORMATION

WHMIS Classification

D1A Very Toxic Material Causing Immediate and Highly toxic by skin absorption

Serious Toxic Effects

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

16. OTHER INFORMATION

Text of H-code(s) and R-phrase(s) mentioned in Section 3

Further information

Copyright 2014 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Sigma - E4250 Page 6 of 6