

# SAFETY DATA SHEET

Creation Date 23-October-2009 Revision Date 11-April-2018 **Revision Number** 7

1. Identification

**Product Name** Potassium permanganate

P279-212; P279-500; P287-212; P287-500; NC0553994 Cat No.:

CAS-No 7722-64-7

**Synonyms** No information available

**Recommended Use** Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use

Details of the supplier of the safety data sheet

Company

Importer/Distributor Fisher Scientific 112 Colonnade Road, Ottawa, ON K2E 7L6, Canada

Tel: 1-800-234-7437

Manufacturer

Fisher Scientific One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

**Emergency Telephone Number** 

CHEMTREC®, Inside the USA: 800-424-9300 CHEMTREC®, Outside the USA: 001-703-527-3887

# 2. Hazard(s) identification

Classification

Classified as hazardous under the Hazardous Products Regulations (SOR/2015-17) WHMIS 2015 Classification

Oxidizing solids Category 2 Acute oral toxicity Category 4 Category 1 C Skin Corrosion/irritation Serious Eve Damage/Eve Irritation Category 1 Specific target organ toxicity (single exposure) Category 3 Target Organs - Respiratory system, Central nervous system (CNS). Specific target organ toxicity - (repeated exposure) Category 2

**Label Elements** 

### Signal Word

Danger

### **Hazard Statements**

May intensify fire; oxidizer Harmful if swallowed

Causes severe skin burns and eye damage

May cause respiratory irritation

May cause damage to organs through prolonged or repeated exposure



## **Precautionary Statements**

#### Prevention

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Keep/Store away from clothing/combustible materials

Take any precaution to avoid mixing with combustibles

Do not breathe dust/fumes/gas/mist/vapours/spray

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Wear protective gloves/protective clothing/eye protection/face protection

### Response

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

IF INHALED: Remove person to fresh air and keep comfortable for breathing

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER/doctor

Rinse mouth

Do NOT induce vomiting

Wash contaminated clothing before reuse

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

### Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

#### Disposa

Dispose of contents/container to an approved waste disposal plant

### Other Hazards

Very toxic to aquatic life with long lasting effects

# 3. Composition/Information on Ingredients

| Component              | CAS-No    | Weight % |
|------------------------|-----------|----------|
| Potassium permanganate | 7722-64-7 | >95      |

### 4. First-aid measures

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required.

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Call a physician immediately.

**Inhalation** Move to fresh air. If not breathing, give artificial respiration. Call a physician or Poison

Control Center immediately. Do not use mouth-to-mouth method if victim ingested or

inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with

a one-way valve or other proper respiratory medical device.

Ingestion Do not induce vomiting. Call a physician or Poison Control Center immediately.

Causes burns by all exposure routes. Product is a corrosive material. Use of gastric Most important symptoms/effects

lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue

and danger of perforation

Treat symptomatically **Notes to Physician** 

# Fire-fighting measures

**Suitable Extinguishing Media** CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam.

No information available **Unsuitable Extinguishing Media** 

**Flash Point** No information available Method -No information available

**Autoignition Temperature** 

**Explosion Limits** 

Upper No data available Lower No data available

**Oxidizing Properties** Oxidizer

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

# **Specific Hazards Arising from the Chemical**

The product causes burns of eyes, skin and mucous membranes. Oxidizer: Contact with combustible/organic material may cause fire. May ignite combustibles (wood paper, oil, clothing, etc.). Do not allow run-off from fire fighting to enter drains or water courses.

## **Hazardous Combustion Products**

Potassium oxides Heavy metal oxides

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

| Health | Flammability | Instability | Physical hazards |
|--------|--------------|-------------|------------------|
| 3      | 0            | 2           | OX               |

## Accidental release measures

Use personal protective equipment. Evacuate personnel to safe areas. Avoid contact with **Personal Precautions** 

skin, eyes and clothing.

**Environmental Precautions** Do not flush into surface water or sanitary sewer system. Do not allow material to

contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained. Should not be released into

the environment.

Methods for Containment and Clean Soak up with inert absorbent material. Sweep up or vacuum up spillage and collect in

| Up | suitable container for disposal. Avoid dust formation. |  |
|----|--|--|
|    | 7. Handling and storage                                |  |

| Handling | Wear personal protective equipment. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe dust. Do not ingest. Keep away from clothing and other combustible materials. |
|----------|--|
| Storage  | Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area. Do   |

not store near combustible materials.

# 8. Exposure controls / personal protection

#### **Exposure Guidelines**

| Component    | Alberta                    | British                    | Ontario TWAEV              | Quebec                     | ACGIH TLV                  | OSHA PEL                     | NIOSH IDLH                |
|--------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|------------------------------|---------------------------|
|              |                            | Columbia                   |                            |                            |                            |                              |                           |
| Potassium    | TWA: 0.2 mg/m <sup>3</sup> | TWA: 0.2 mg/m <sup>3</sup> | TWA: 0.02                  | TWA: 0.2 mg/m <sup>3</sup> | TWA: 0.02                  | (Vacated)                    | IDLH: 500                 |
| permanganate |                            |                            | mg/m³                      | _                          | mg/m³                      | Ceiling: 5 mg/m <sup>3</sup> | mg/m³                     |
|              |                            |                            | TWA: 0.1 mg/m <sup>3</sup> |                            | TWA: 0.1 mg/m <sup>3</sup> | Ceiling: 5 mg/m <sup>3</sup> | TWA: 1 mg/m <sup>3</sup>  |
|              |                            |                            |                            |                            |                            |                              | STEL: 3 mg/m <sup>3</sup> |

#### Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

#### **Engineering Measures**

Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

### Personal protective equipment

**Eye Protection** Goggles

**Hand Protection** Wear appropriate protective gloves and clothing to prevent skin exposure.

| Glove material | Breakthrough time | Glove thickness | Glove comments         |
|----------------|-------------------|-----------------|------------------------|
| Natural rubber | See manufacturers | -               | Splash protection only |
| Nitrile rubber | recommendations   |                 |                        |
| Neoprene       |                   |                 |                        |
| PVC            |                   |                 |                        |

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

#### **Respiratory Protection**

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly **Recommended Filter type:** Particulates filter conforming to EN 143

When RPE is used a face piece Fit Test should be conducted

# **Environmental exposure controls**

Prevent product from entering drains. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained.

## **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice.

### 9. Physical and chemical properties

Physical State Solid Powder
Appearance Dark brown
Odor Odorless

Odor Threshold No information available

## Potassium permanganate

8 (16 g/l @ 20°C) 240 °C / 464 °F Hq Melting Point/Range **Boiling Point/Range** No information available

No information available **Flash Point Evaporation Rate** Not applicable

Flammability (solid,gas) No information available

Flammability or explosive limits

Upper No data available Lower No data available **Vapor Pressure** No information available

**Vapor Density** Not applicable **Specific Gravity** 2.700 g/cm3 Solubility Soluble in water Partition coefficient; n-octanol/water No data available

**Autoignition Temperature Decomposition Temperature** 

240 °C Not applicable **Viscosity Molecular Formula** K Mn O4

158.04 **Molecular Weight** 

# 10. Stability and reactivity

Yes **Reactive Hazard** 

Stability Stable under normal conditions. Oxidizer: Contact with combustible/organic material may

cause fire.

**Conditions to Avoid** Incompatible products. Excess heat. Combustible material.

**Incompatible Materials** Reducing agents, Strong acids, Strong reducing agents, Combustible material

Hazardous Decomposition Products Potassium oxides, Heavy metal oxides

**Hazardous Polymerization** Hazardous polymerization does not occur.

None under normal processing. **Hazardous Reactions** 

# 11. Toxicological information

**Acute Toxicity** 

**Product Information** 

Oral LD50 Category 4.

**Component Information** 

| Component              | LD50 Oral              | LD50 Dermal | LC50 Inhalation |
|------------------------|------------------------|-------------|-----------------|
| Potassium permanganate | LD50 = 750 mg/kg (Rat) | Not listed  | Not listed      |

**Toxicologically Synergistic** No information available

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Causes severe irritation and or burns Irritation

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Component    | CAS-No    | IARC       | NTP        | ACGIH      | OSHA       | Mexico     |
|--------------|-----------|------------|------------|------------|------------|------------|
| Potassium    | 7722-64-7 | Not listed |
| permanganate |           |            |            |            |            |            |

No information available **Mutagenic Effects** 

Reproductive Effects No information available.

**Developmental Effects** No information available.

**Teratogenicity** No information available.

Respiratory system Central nervous system (CNS) STOT - single exposure

STOT - repeated exposure None known

**Aspiration hazard** No information available

delayed

Symptoms / effects,both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes

severe swelling, severe damage to the delicate tissue and danger of perforation

No information available **Endocrine Disruptor Information** 

**Other Adverse Effects** The toxicological properties have not been fully investigated.

# 12. Ecological information

### **Ecotoxicity**

The product contains following substances which are hazardous for the environment. Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system.

| Component              | Freshwater Algae | Freshwater Fish           | Microtox   | Water Flea |
|------------------------|------------------|---------------------------|------------|------------|
| Potassium permanganate | Not listed       | 2.97-3.11 mg/L LC50 96 h  | Not listed | Not listed |
|                        |                  | 3.16-3.77 mg/L LC50 96 h  |            |            |
|                        |                  | 3.3-3.93 mg/L LC50 96 h   |            |            |
|                        |                  | 2.3 mg/L LC50 96 h        |            |            |
|                        |                  | 0.769-1.27 mg/L LC50 96 h |            |            |
|                        |                  | 1.08-1.38 mg/L LC50 96 h  |            |            |
|                        |                  | 1.8-5.6 mg/L LC50 96 h    |            |            |
|                        |                  | 2.7 mg/L LC50 96 h        |            |            |

**Persistence and Degradability** May persist based on information available.

**Bioaccumulation/ Accumulation** No information available.

Will likely be mobile in the environment due to its water solubility. **Mobility** 

# 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

# 14. Transport information

DOT

UN1490 **UN-No** 

POTASSIUM PERMANGANATE **Proper Shipping Name** 

**Hazard Class** 5.1 **Packing Group** Ш

UN1490 **UN-No** 

POTASSIUM PERMANGANATE **Proper Shipping Name** 

**Hazard Class** 5.1 **Packing Group** 

<u>IATA</u>

UN1490 **UN-No** 

**Proper Shipping Name** POTASSIUM PERMANGANATE

## Potassium permanganate

Hazard Class 5.1 Packing Group II

IMDG/IMO

**UN-No** UN1490

**Proper Shipping Name** POTASSIUM PERMANGANATE 5.1

Packing Group

# 15. Regulatory information

All of the components in the product are on the following Inventory lists: X = listed

#### International Inventories

| Component              | DSL | NDSL | TSCA | EINECS    | ELINCS | NLP | PICCS | ENCS | AICS | IECSC | KECL |
|------------------------|-----|------|------|-----------|--------|-----|-------|------|------|-------|------|
| Potassium permanganate | Х   | -    | Х    | 231-760-3 | -      |     | Χ     | Χ    | Х    | Х     | Х    |

#### Canada

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous Products Regulations (HPR) and meets the requirements of the HPR (Paragraph 13(1)(a) of the Hazardous Products Act (HPA)).

# 16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

 Creation Date
 23-October-2009

 Revision Date
 11-April-2018

 Print Date
 11-April-2018

**Revision Summary**This document has been updated to comply with the requirements of WHMIS 2015 to align

with the Globally Harmonised System (GHS) for the Classification and Labelling of

Chemicals.

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**