# SAFETY DATA SHEET

Version 4.14 Revision Date 02/27/2016 Print Date 06/08/2017

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Sodium fluoride

Product Number : S1504

Brand : Sigma-Aldrich

Product Use : For laboratory research purposes.

Supplier : Sigma-Aldrich Canada Co. Manufactur : Sigma-Aldrich Corporation

2149 Winston Park Drive er 3050 Spruce St.

OAKVILLE ON L6H 6J8 St. Louis, Missouri 63103

USA

CANADA

Telephone : +1 9058299500 Fax : +1 9058299292

Emergency Phone # (For

Preparation Information

both supplier and manufacturer)

oth supplier and

Product Safety - Americas Region

Sigma-Aldrich Corporation

+1-703-527-3887 (CHEMTREC)

1-800-521-8956

# 2. HAZARDS IDENTIFICATION

### **Emergency Overview**

### **Target Organs**

Kidney, Heart, Bone, Nerves., Gastrointestinal tract, Teeth., Damage to the lungs. Kidney, Heart, Bone, Nerves., Gastrointestinal tract, Teeth., Damage to the lungs.

### **WHMIS Classification**

D1B Toxic Material Causing Immediate and Serious Toxic by ingestion

Toxic Effects

D2B Toxic Material Causing Other Toxic Effects Moderate skin irritant Moderate eye irritant

# **GHS Classification**

Acute toxicity, Oral (Category 2)
Skin corrosion/irritation (Category 2)
Serious eye damage/eye irritation (Category 2A)

Acute aquatic toxicity (Category 3)

# GHS Label elements, including precautionary statements

**Pictogram** 

Signal word Danger

Hazard statement(s)

H300 Fatal if swallowed.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H402 Harmful to aquatic life.

Precautionary statement(s)

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

Sigma-Aldrich - S1504 Page 1 of 8

P273 Avoid release to the environment.
P280 Wear eye protection/ face protection.

P280 Wear protective gloves.

P301 + P310 + P330 IF SWALLOWED: Immediately call a POISON CENTER/doctor. Rinse mouth.

P302 + P352 IF ON SKIN: Wash with plenty of water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P332 + P313 If skin irritation occurs: Get medical advice/ attention.
P337 + P313 If eye irritation persists: Get medical advice/ attention.

P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal plant.

# **HMIS Classification**

Health hazard: 4
Chronic Health Hazard: \*
Flammability: 0
Physical hazards: 0

### **Potential Health Effects**

InhalationMay be harmful if inhaled. May cause respiratory tract irritation.SkinMay be harmful if absorbed through skin. May cause skin irritation.

**Eyes** May cause eye irritation. **Ingestion** May be fatal if swallowed.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Formula : FNa

Molecular weight : 41.99 g/mol

CAS-No.	EC-No.	Index-No.	Concentration
Sodium fluoride			
7681-49-4	231-667-8	009-004-00-7	<=100%

# 4. FIRST AID MEASURES

#### General advice

Hydrofluoric (HF) acid burns require immediate and specialized first aid and medical treatment. Symptoms may be delayed up to 24 hours depending on the concentration of HF. After decontamination with water, further damage can occur due to penetration/absorption of the fluoride ion. Treatment should be directed toward binding the fluoride ion as well as the effects of exposure. Skin exposures can be treated with a 2.5% calcium gluconate gel repeated until burning ceases. More serious skin exposures may require subcutaneous calcium gluconate except for digital areas unless the physician is experienced in this technique, due to the potential for tissue injury from increased pressure. Absorption can readily occur through the subungual areas and should be considered when undergoing decontamination. Prevention of absorption of the fluoride ion in cases of ingestion can be obtained by giving milk, chewable calcium carbonate tablets or Milk of Magnesia to conscious victims. Conditions such as hypocalcemia, hypomagnesemia and cardiac arrhythmias should be monitored for, since they can occur after exposure. Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician. First treatment with calcium gluconate paste.

# In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

# **5. FIREFIGHTING MEASURES**

# Conditions of flammability

Sigma-Aldrich - S1504 Page 2 of 8

Not flammable or combustible.

# Suitable extinguishing media

Dry powder

### Special protective equipment for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

# **Hazardous combustion products**

### Explosion data - sensitivity to mechanical impact

No data available

# Explosion data - sensitivity to static discharge

No data available

# 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions

Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

## **Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

# Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Do not flush with water. Keep in suitable, closed containers for disposal.

### 7. HANDLING AND STORAGE

### Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols.

Provide appropriate exhaust ventilation at places where dust is formed.

#### Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place.

Never allow product to get in contact with water during storage. Do not store near acids.

Moisture sensitive. Keep in a dry place. Do not store in glass

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Components with workplace control parameters

Components	CAS-No.	Value	Control parameters	Basis
Sodium fluoride	7681-49-4	TWA	2.500000 mg/m3	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
Remarks		1	1	
		TWAEV	2.500000 mg/m3	Canada. Ontario OELs
		TWA	2.500000 mg/m3	Canada. British Columbia OEL
		TWA	2.500000 mg/m3	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
		TWA	2.500000 mg/m3	USA. ACGIH Threshold Limit Values (TLV)

Sigma-Aldrich - S1504 Page 3 of 8

TWA	2.500000 mg/m3	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
TWAEV	2.500000 mg/m3	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
TWAEV	2.500000 mg/m3	Canada. Ontario OELs
TWA	2.500000 mg/m3	Canada. British Columbia OEL
TWA	2.500000 mg/m3	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
TWAEV	2.500000 mg/m3	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
TWA	2.500000 mg/m3	Canada. British Columbia OEL
TWA	2.5 mg/m3	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
TWAEV	2.5 mg/m3	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
TWA	2.5 mg/m3	Canada. British Columbia OEL
TWA	2.500000 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
TWA	2.500000 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
TWA	2.5 mg/m3	USA. ACGIH Threshold Limit Values (TLV)

# Personal protective equipment

# Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

# **Hand protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Sigma-Aldrich - S1504 Page 4 of 8

Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374 If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

### Eye protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

### Skin and body protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### **Hygiene measures**

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

# Specific engineering controls

Use mechanical exhaust or laboratory fumehood to avoid exposure.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

### **Appearance**

Form powder Colour white

# Safety data

pH No data available

Melting point/freezing point

Melting point/range: 993 °C (1,819 °F) - lit.

Boiling point No data available
Flash point No data available
Ignition temperature No data available
Auto-ignition No data available

temperature

Lower explosion limit No data available
Upper explosion limit No data available
Vapour pressure 1.9 hPa (1.4 mmHg)

Density 2.780 g/cm3

Water solubility No data available Partition coefficient: No data available

n-octanol/water Relative vapour

density

No data available

density

Odour No data available
Odour Threshold No data available
Evaporation rate No data available

Sigma-Aldrich - S1504 Page 5 of 8

# 10. STABILITY AND REACTIVITY

### **Chemical stability**

Stable under recommended storage conditions.

# Possibility of hazardous reactions

Contact with acids liberates very toxic gas.

#### Conditions to avoid

Exposure to moisture

Reacts dangerously with glass.

### Materials to avoid

Strong acidsglass

# Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Hydrogen fluoride, Sodium oxides Other decomposition products - Gaseous hydrogen fluoride (HF).

# 11. TOXICOLOGICAL INFORMATION

# **Acute toxicity**

#### Oral LD50

LD50 Oral - Rat - female - 148.5 mg/kg

#### Inhalation LC50

No data available

#### **Dermal LD50**

No data available

### Other information on acute toxicity

LD50 Intravenous - Rat - 26 mg/kg

Remarks: Nutritional and Gross Metabolic: Weight loss or decreased weight gain.

### Skin corrosion/irritation

Irritating to skin.

# Serious eye damage/eye irritation

Eyes - Rabbit - Eye irritation - 24 h Remarks: Moderate eye irritation

# Respiratory or skin sensitisation

No data available

# Germ cell mutagenicity

No data available

# Carcinogenicity

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

IARC: 3 - Group 3: Not classifiable as to its carcinogenicity to humans (Sodium fluoride)

# Reproductive toxicity

No data available

### **Teratogenicity**

No data available

# Specific target organ toxicity - single exposure (Globally Harmonized System)

No data available

# Specific target organ toxicity - repeated exposure (Globally Harmonized System)

No data available

# **Aspiration hazard**

No data available

#### Potential health effects

**Inhalation** May be harmful if inhaled. May cause respiratory tract irritation.

**Ingestion** May be fatal if swallowed.

**Skin** May be harmful if absorbed through skin. May cause skin irritation.

**Eyes** May cause eye irritation.

# Signs and Symptoms of Exposure

Fluoride ion can reduce serum calcium levels possibly causing fatal hypocalcemia.

# Synergistic effects

No data available

# **Additional Information**

RTECS: WB0350000

### 12. ECOLOGICAL INFORMATION

# **Toxicity**

Toxicity to fish mortality NOEC - Cyprinodon variegatus (sheepshead minnow) - 500 mg/l - 96 h

LC50 - Oncorhynchus mykiss (rainbow trout) - 200 mg/l - 96 h

Toxicity to daphnia and other aquatic

and other aquatic invertebrates

EC50 - Daphnia magna (Water flea) - 98 mg/l - 48 h

### Persistence and degradability

No data available

# Bioaccumulative potential

Bioaccumulation Salmo trutta - 10 d

Bioconcentration factor (BCF): 2.3

### Mobility in soil

No data available

# PBT and vPvB assessment

No data available

# Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Harmful to aquatic life.

No data available

# 13. DISPOSAL CONSIDERATIONS

### **Product**

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Sigma-Aldrich - S1504 Page 7 of 8

# Contaminated packaging

Dispose of as unused product.

### 14. TRANSPORT INFORMATION

DOT (US)

UN number: 1690 Class: 6.1 Packing group: III

Proper shipping name: Sodium fluoride, solid

Reportable Quantity (RQ): 1000 lbs

Marine pollutant: No

Poison Inhalation Hazard: No

**IMDG** 

UN number: 1690 Class: 6.1 Packing group: III EMS-No: F-A, S-A

Proper shipping name: SODIUM FLUORIDE, SOLID

Marine pollutant: No

**IATA** 

UN number: 1690 Class: 6.1 Packing group: III

Proper shipping name: Sodium fluoride, solid

### 15. REGULATORY INFORMATION

# **WHMIS Classification**

D1B Toxic Material Causing Immediate and Serious Toxic by ingestion

**Toxic Effects** 

D2B Toxic Material Causing Other Toxic Effects Moderate skin irritant

Moderate eye irritant

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

#### 16. OTHER INFORMATION

#### **Further information**

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Sigma-Aldrich - S1504 Page 8 of 8