

MATERIAL SAFETY DATA SHEET

Date Printed: 08/10/2007

Date Updated: 08/03/2007

Version 1.5

Section 1 - Product and Company Information

Product Name IMIPRAMINE HYDROCHLORIDE SIGMAULTRA
Product Number I0899
Brand SIGMA

Company Sigma-Aldrich Canada, Ltd
Address 2149 Winston Park Drive
Oakville ON L6H 6J8 CA

Technical Phone: 9058299500
Fax: 9058299292
Emergency Phone: 800-424-9300

Section 2 - Composition/Information on Ingredient

Substance Name	CAS #	SARA 313 No
IMIPRAMINE HYDROCHLORIDE	113-52-0	

Formula C19H24N2.ClH

Synonyms Antideprin hydrochloride * Chimoreptin *
Chrytemin * Co cap imipramine 25 * Deprinol *
5H-Dibenz(b,f)azepine,
10,11-dihydro-5-(3-(dimethylamino)propyl)-,
hydrochloride *
5H-Dibenz(b,f)azepine-5-propanamine,
10,11-dihydro-N,N-dimethyl-, monohydrochloride
(9CI) *
5-(3-Dimethylaminopropyl)-10,11-dihydro-5H-dibenz(
b,f)azepine hydrochloride *
N-(gamma-Dimethylaminopropyl)iminodibenzyl
hydrochloride *
N-(3-Dimethylaminopropyl)iminodibenzyl
hydrochloride *
N-(gamma-Dimetilaminopropil)-iminodibenzile
cloridrato (Italian) * Dynazina * Efuranol *
Feinalmin * Fujisawa * G 22355 * IA-Pram *
Imavate * Imidol * Imilanyle * Imipramine
hydrochloride * Imipramine monohydrochloride *
Iprogen * Janimine * Melipramine hydrochloride *
NSC 114900 * Persamine * Pertofram * Presamine *
Pryleugan * SK-Pramine hydrochloride * Teperine *
Tofranil * Tofranile

RTECS Number: HO1925000

Section 3 - Hazards Identification

EMERGENCY OVERVIEW

Toxic (USA) Harmful (EU).

Harmful if swallowed. Irritating to eyes, respiratory system and skin.

Target organ(s): Heart. Central nervous system.

HMIS RATING

HEALTH: 2
FLAMMABILITY: 0
REACTIVITY: 1

NFPA RATING

FLAMMABILITY: 0
REACTIVITY: 1

For additional information on toxicity, please refer to Section 11.

Section 4 - First Aid Measures

ORAL EXPOSURE

If swallowed, wash out mouth with water provided person is conscious. Call a physician.

INHALATION EXPOSURE

If inhaled, remove to fresh air. If not breathing give artificial respiration. If breathing is difficult, give oxygen.

DERMAL EXPOSURE

In case of skin contact, flush with copious amounts of water for at least 15 minutes. Remove contaminated clothing and shoes. Call a physician.

EYE EXPOSURE

In case of contact with eyes, flush with copious amounts of water for at least 15 minutes. Assure adequate flushing by separating the eyelids with fingers. Call a physician.

Section 5 - Fire Fighting Measures

FLASH POINT

N/A

AUTOIGNITION TEMP

N/A

FLAMMABILITY

N/A

EXTINGUISHING MEDIA

Suitable: Water spray. Carbon dioxide, dry chemical powder, or appropriate foam.

FIREFIGHTING

Protective Equipment: Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.
Specific Hazard(s): Emits toxic fumes under fire conditions.

Section 6 - Accidental Release Measures

PROCEDURE TO BE FOLLOWED IN CASE OF LEAK OR SPILL

Evacuate area.

PROCEDURE(S) OF PERSONAL PRECAUTION(S)

Wear respirator, chemical safety goggles, rubber boots, and heavy rubber gloves.

METHODS FOR CLEANING UP

Sweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material

pickup is complete.

Section 7 - Handling and Storage

HANDLING

User Exposure: Do not breathe dust. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.

STORAGE

Suitable: Keep tightly closed.

Section 8 - Exposure Controls / PPE

ENGINEERING CONTROLS

Safety shower and eye bath. Mechanical exhaust required.

PERSONAL PROTECTIVE EQUIPMENT

Respiratory: Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Where risk assessment shows air-purifying respirators are appropriate use a dust mask type N95 (US) or type P1 (EN 143) respirator.

Hand: Compatible chemical-resistant gloves.

Eye: Chemical safety goggles.

GENERAL HYGIENE MEASURES

Wash thoroughly after handling.

Section 9 - Physical/Chemical Properties

Appearance	Physical State: Solid Color: White	
Property	Value	At Temperature or Pressure
Molecular Weight	316.87 AMU	
pH	N/A	
BP/BP Range	N/A	
MP/MP Range	173.0 - 175.0 °C	
Freezing Point	N/A	
Vapor Pressure	N/A	
Vapor Density	N/A	
Saturated Vapor Conc.	N/A	
SG/Density	N/A	
Bulk Density	N/A	
Odor Threshold	N/A	
Volatile%	N/A	
VOC Content	N/A	
Water Content	N/A	
Solvent Content	N/A	
Evaporation Rate	N/A	
Viscosity	N/A	
Surface Tension	N/A	
Partition Coefficient	N/A	
Decomposition Temp.	N/A	
Flash Point	N/A	
Explosion Limits	N/A	
Flammability	N/A	
Autoignition Temp	N/A	
Refractive Index	N/A	
Optical Rotation	N/A	
Miscellaneous Data	N/A	

Solubility

N/A

N/A = not available

Section 10 - Stability and Reactivity

STABILITY

Stable: Stable.

Conditions to Avoid: Light.

Materials to Avoid: Strong oxidizing agents.

HAZARDOUS DECOMPOSITION PRODUCTS

Hazardous Decomposition Products: Carbon monoxide, Carbon dioxide, Nitrogen oxides, Hydrogen chloride gas.

HAZARDOUS POLYMERIZATION

Hazardous Polymerization: Will not occur

Section 11 - Toxicological Information

ROUTE OF EXPOSURE

Skin Contact: Causes skin irritation.

Skin Absorption: Harmful if absorbed through skin.

Eye Contact: Causes eye irritation.

Inhalation: Harmful if inhaled. Material is irritating to mucous membranes and upper respiratory tract.

Ingestion: Harmful if swallowed.

TARGET ORGAN(S) OR SYSTEM(S)

Central nervous system. Heart. Blood. Endocrine system.

SIGNS AND SYMPTOMS OF EXPOSURE

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Adverse reactions: orthostatic hypotension, hypertension, tachycardia, palpitation, myocardial infarction, arrhythmias, heart block, precipitation of congestive heart failure, stroke, hallucinations, disorientation, delusions, anxiety, restlessness, agitation, insomnia, hypomania, numbness, tingling, paresthesias of extremities, ataxia, tremors, incoordination, peripheral neuropathy, seizures, tinnitus, blurred vision, mydriasis, constipation, paralytic ileus, urinary retention, skin rash, petechiae, urticaria, photosensitization, edema, nausea, vomiting, anorexia, epigastric distress, diarrhea, stomatitis, abdominal cramps, black tongue, bone marrow depression, agranulocytosis, purpura, eosinophilia, alopecia, and proneness to falling.

TOXICITY DATA

Oral

Child

15 mg/kg

LDLO

Remarks: Kidney, Ureter, Bladder:Other changes. Sense Organs and Special Senses (Nose, Eye, Ear, and Taste):Eye:Mydriasis (pupillary dilation). Cardiac:Other changes.

Oral

Rat

305 mg/kg

LD50

Intraperitoneal
Rat
72 MG/KG
LD50

Subcutaneous
Rat
217 MG/KG
LD50

Intravenous
Rat
18 MG/KG
LD50

Oral
Mouse
275 mg/kg
LD50

Intraperitoneal
Mouse
104 MG/KG
LD50

Subcutaneous
Mouse
189 MG/KG
LD50

Intravenous
Mouse
27 MG/KG
LD50

Intravenous
Rabbit
14 MG/KG
LD50

Intraperitoneal
Guinea pig
85 MG/KG
LD50

Subcutaneous
Guinea pig
190 MG/KG
LD50

CHRONIC EXPOSURE - TERATOGEN

Species: Rat
Dose: 800 MG/KG
Route of Application: Oral
Exposure Time: (1-16D PREG)
Result: Effects on Embryo or Fetus: Fetotoxicity (except death,
e.g., stunted fetus).

Species: Rat
Dose: 65 MG/KG

Route of Application: Subcutaneous
Exposure Time: (8-20D PREG)
Result: Effects on Newborn: Biochemical and metabolic. Specific
Developmental Abnormalities: Central nervous system.

Species: Rat
Dose: 130 MG/KG
Route of Application: Subcutaneous
Exposure Time: (8-20D PREG)
Result: Specific Developmental Abnormalities: Cardiovascular
(circulatory) system.

Species: Mouse
Dose: 125 MG/KG
Route of Application: Subcutaneous
Exposure Time: (9D PREG)
Result: Specific Developmental Abnormalities: Central nervous
system. Effects on Embryo or Fetus: Fetal death. Effects on
Embryo or Fetus: Fetotoxicity (except death, e.g., stunted
fetus).

Species: Hamster
Dose: 35 MG/KG
Route of Application: Intraperitoneal
Exposure Time: (8D PREG)
Result: Specific Developmental Abnormalities: Musculoskeletal
system. Specific Developmental Abnormalities: Body wall.
Specific Developmental Abnormalities: Central nervous system.

CHRONIC EXPOSURE - REPRODUCTIVE HAZARD

Species: Rat
Dose: 285 MG/KG
Route of Application: Oral
Exposure Time: (14D PRE-21D POST)
Result: Effects on Newborn: Behavioral.

Species: Rat
Dose: 200 MG/KG
Route of Application: Oral
Exposure Time: (7-16D PREG)
Result: Effects on Fertility: Pre-implantation mortality (e.g.,
reduction in number of implants per female; total number of
implants per corpora lutea).

Species: Rat
Dose: 1 GM/KG
Route of Application: Oral
Exposure Time: (7-16D PREG)
Result: Effects on Fertility: Post-implantation mortality (e.g.,
dead and/or resorbed implants per total number of implants).

Species: Rat
Dose: 180 MG/KG
Route of Application: Oral
Exposure Time: (14D PRE/1-22D PREG)
Result: Effects on Newborn: Live birth index (# fetuses per
litter; measured after birth). Effects on Newborn: Stillbirth.

Species: Rat
Dose: 225 MG/KG
Route of Application: Intraperitoneal

Exposure Time: (23D PRE/1-22D PREG)
Result: Effects on Newborn: Stillbirth. Effects on Newborn: Live birth index (# fetuses per litter; measured after birth). Effects on Newborn: Weaning or lactation index (e.g., # alive at weaning per # alive at day 4).

Species: Rat
Dose: 210 MG/KG
Route of Application: Intraperitoneal
Exposure Time: (15-21D PREG)
Result: Effects on Newborn: Live birth index (# fetuses per litter; measured after birth). Effects on Newborn: Growth statistics (e.g., reduced weight gain).

Species: Rat
Dose: 65 MG/KG
Route of Application: Subcutaneous
Exposure Time: (8-20D PREG)
Result: Effects on Newborn: Behavioral. Effects on Newborn: Biochemical and metabolic.

Species: Mouse
Dose: 9700 MG/KG
Route of Application: Oral
Exposure Time: (75D PRE/1-22D PREG)
Result: Effects on Newborn: Viability index (e.g., # alive at day 4 per # born alive). Effects on Newborn: Growth statistics (e.g., reduced weight gain). Effects on Newborn: Stillbirth.

Species: Mouse
Dose: 9200 MG/KG
Route of Application: Oral
Exposure Time: (10W PRE/1-22D PREG)
Result: Effects on Newborn: Weaning or lactation index (e.g., # alive at weaning per # alive at day 4).

Species: Rabbit
Dose: 165 MG/KG
Route of Application: Subcutaneous
Exposure Time: (3-18D PREG)
Result: Effects on Newborn: Viability index (e.g., # alive at day 4 per # born alive). Effects on Newborn: Physical.

Section 12 - Ecological Information

No data available.

Section 13 - Disposal Considerations

APPROPRIATE METHOD OF DISPOSAL OF SUBSTANCE OR PREPARATION

Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber. Observe all federal, state, and local environmental regulations.

Section 14 - Transport Information

DOT

Proper Shipping Name: None
Non-Hazardous for Transport: This substance is considered to be non-hazardous for transport.

IATA

Non-Hazardous for Air Transport: Non-hazardous for air transport.

Section 15 - Regulatory Information

EU ADDITIONAL CLASSIFICATION

Symbol of Danger: Xn

Indication of Danger: Harmful.

R: 22-36/37/38

Risk Statements: Harmful if swallowed. Irritating to eyes, respiratory system and skin.

S: 26-36

Safety Statements: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Wear suitable protective clothing.

US CLASSIFICATION AND LABEL TEXT

Indication of Danger: Toxic (USA) Harmful (EU).

Risk Statements: Harmful if swallowed. Irritating to eyes, respiratory system and skin.

Safety Statements: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Wear suitable protective clothing.

US Statements: Target organ(s): Heart. Central nervous system.

UNITED STATES REGULATORY INFORMATION

SARA LISTED: No

TSCA INVENTORY ITEM: Yes

CANADA REGULATORY INFORMATION

WHMIS Classification: This product has been classified in accordance with the hazard criteria of the CPR, and the MSDS contains all the information required by the CPR.

DSL: No

NDSL: Yes

Section 16 - Other Information

DISCLAIMER

For R&D use only. Not for drug, household or other uses.

WARRANTY

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Inc., shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. Copyright 2007 Sigma-Aldrich Co. License granted to make unlimited paper copies for internal use only.